	Application No.	Applicant(s)
Notice of Allowability	10/734,953	BROWN ET AL.
	Examiner	Art Unit
	Tan Le	3632
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.  1. This communication is responsive to 10/12/08.  2. The allowed claim(s) is/are 1-9.15-20.22,24-33 and 51-64,		
a)  All b) Some* c) None of the:		
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1)  hereto or 2)  to Paper No./Mail Date		
(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of  Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. Notice of Informal F	Patent Application
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	(PTO-413),
3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	Paper No./Mail Da 7. ☐ Examiner's Amendr	ment/Comment
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. ⊠ Examiner's Stateme	ent of Reasons for Allowance

10/734,953 Art Unit: 3632

## **DETAILED ACTION**

- 1. Applicant's reply filed 10/12/07 is acknowledged. Claims 1-68 are pending. Claims 10-14, 21, 23, 34-50 and 65-66 were withdrawn.
- 2. This application is in condition for allowance except for the presence of claims 10-14, 21, 23, 34-50 and 65-66 directed to non-elected species/invention without traverse. Accordingly, claims 10-14, 21, 23, 34-50 and 65-66 been cancelled.
  - 3. Claims 1-9, 15-20, 22, 24-33 and 51-64<sub>4</sub> are allowed.

## REASONS FOR ALALOWANCE

4. The following is an examiner's statement of reasons for allowance: The closest prior art of Ismert (US 6,126,122) discloses a double ratchet arm pipe clamp, which includes many of the limitations but fails to disclose or suggest a cap cooperating with at least one of the first and second support means, the cap sized and configured to be placed over the two inclined surfaces forming one of the v-shaped notches, the cap extending over the notch and over a portion of the exterior side of the corresponding inclined surface forming notch and being interposed between the inclined surface and the elongate member during use of the clamp assembly (claims 1, 25, 62); and a resilient member extends outwardly from a side of the clamp base and disposed toward the flange and being spaced apart from the flange (claims 51, 55), which either singularly or in combination fails to anticipate or render obvious the above limitations.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably

10/734,953

Art Unit: 3632

accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tan Le whose telephone number is (571) 272-6818.

The examiner can normally be reached on Mon. through Fri. from 9:00 AM-6:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Brian Glessner can be reached on (571) 272-6843. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Amy J. Sterling Tan Le January 3, 2008.